



3-18-05

*JFW*

Practitioner's Docket No. 002-038

PATENT


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Stephen W. Dyer  
Application No.: 10/615,076  
Group No.: 3627  
Filed: 07/08/2003  
For: METHOD AND APPARATUS FOR BALANCING

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

NOTIFICATION OF FILING OF CONTINUING, DIVISIONAL  
OR CONTINUED PROSECUTION APPLICATION

Notification is hereby being made of the filing of a continuation application for this case concurrently herewith.

  
SIGNATURE OF PRACTITIONER

Reg. No. 33,483  
Tel. No.: (248) 324-7787

John G. Chupa, Esq.  
28535 Orchard Lake Road,  
Suite 50  
Farmington Hills, MI 48334

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10\*

(When using Express Mail, the Express Mail label number is *mandatory*;  
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. 1.8(a)

37 C.F.R. 1.10\*

☐ with sufficient postage as first class mail.

☒ as "Express Mail Post Office to Address"  
Mailing Label No. EV461305951US (mandatory)

SIUS

Date: 3.16.2005

Signature

  
(type or print name of person certifying)

EV461305951US